

2023 PRODUCT CATALOGUE

DETA WIRING ACCESSORIES - DESIGNED TO MEET CHANGING MARKET NEEDS

CHANNELING GROWTH AND EVOLUTION THROUGH EXISTING AND NEW PRODUCTS



Established in the late 1950's, DETA offers best-inclass solutions for the electrical market with a range of innovative and versatile wiring accessory products.

DETA aligns with changing market demands and develops new products in accordance with local and international market trends.

All the wiring accessories at DETA are competitively priced. DETA provides diverse varieties of ultra-modern, elegantly styled products, suitable for both domestic and commercial environments. Ease of use is the fundamental idea behind the design of wiring accessories.

Products in the wiring accessory category are subject to stringent product designs and standards. Designing and maintaining high quality and compliant products is of paramount importance to the brand. DETA puts its best foot forward through a team of professionals who have significant expertise and experience in product design and development.

DETA products meet all requirements of the Australian and New Zealand electrical safety standards and approvals. All manufacturing is carried out in a strict quality controlled environment.

The company's considerable investment program extends beyond product development in achieving our main objective of real customer satisfaction.

An integral part of DETA's innovation is demonstrated through continuous development, monitoring, and delivery of customer service programs. This practice has helped the brand understand the customer demands and needs effectively.

DETA is proud to be part of the Australian and New Zealand industries offering quality products at competitive prices and backed by trade expertise and friendly customer service.

CONTENTS

Page 4-6	DETA GRID power points, accessories, LED downlights, LED batten lights, sensors
Page 7	DETA TOUCH series switches and power points
Page 8-13	S-Line LUXE switches and power points
Page 14-18	X6 series switches and power points
Page 19-20	X7 series switches and power points
Page 21-24	6000 series switches and power points
Page 25	Double Pole & Caravan series inlets, outlets, double pole switches and power points
Page 26	3000 series switches and power points
Page 27-28	DETA Weatherproof and Elements series switches and power points
Page 29-30	DETA Industrial series switched socket, switches, sockets, inlets plugs and accessories
Page 31	DETA Lighting accessories
Page 32-33	Audio Visual and Data keystone and wallplates
Page 34-36	Mechanisms switches, dimmer, electrical accessories and rewirable
Page 37-38	Switchboard and circuit protection switchboard, accessories, MCB, RCD and RCBO
Page 39-41	Mounting accessories accessories, testing tools, cable clips
Page 42	DETA extension leads and powerboards
Page 43-44	DETA cable clips
Page 45-46	Tools and instruments
Page 47-48	DETA PVC electrical insulation tape and accessories
Page 49	DETA Lighting Fluorescent & LED Tube Battens
Page 50	DETA Lighting LED Battens
Page 51	DETA Downlights X8 series
Page 52	DETA Lighting accessories
Page 53	DETA Lighting flood lights and high bay light
Page 53	DETA Lighting security lights
Page 54	DETA Lighting sensors
Page 55	Air movement exhaust fans
Page 56-63	Conduits conduits, junctions, coupling, reducers, clips lockrings, plugs and saddles

3





GRID CONNECT USES A SINGLE APP TO DELIVER SEAMLESS, MULTI-PRODUCT HOME AUTOMATION ON YOUR SMARTPHONE OR TABLET.

- Manufactured from engineered grade UV stabilized plastic materials
- Wall switches and sockets are retrofittable and compatible with standard mounting accessories
- GRID CONNECT APP available on Apple app store and Google play store
- Supports Google Assistant and Amazon Alexa
- Uses your home Wi-Fi or mobile internet connection to control, customise and automate the product



THE GRID CONNECT PLATFORM PROVIDES MULTI-PRODUCT CONNECTIVITY (CONNECT MULTIPLE DEVICES) FROM ONE SOURCE UNLIKE OTHER HOME AUTOMATION APPS THAT OPERATE ONE OR TWO TYPES OF PRODUCT. CONNECT FROM ONE SOURCE USING YOUR ACTIVE WI-FI AND MOBILE NETWORK.

- Switches and sockets are touch activated
- Switches and sockets have blue LED for ON, white LED for Wi-Fi status
- Built in ON/OFF function, countdown and cycles, scheduling, scene setting and randomise function
- Switches and sockets come in standard white and matt black finish
- Australian and New Zealand safety standards approved

0

6911HA















6910HA





6952HA

6951HA











6921HA

6264HA

DETA GRID CONNECT SMART PRODUCTS

6911HA	GRID smart single gang touch switch	AUS 0098811 NZ 98811
6912HA	GRID smart double gang touch switch	AUS 0098812 NZ 98812
6903HA	GRID smart triple gang touch switch	AUS 0161014
6904HA	GRID smart quad gang touch switch	AUS 0161015 NZ 161015
6910HA	GRID smart single gang touch dimmer	AUS 0237206 NZ 98814
6914HA	GRID smart touch fan controller	AUS 0098815 NZ 98815
6951HA	GRID smart single gang 2 way touch switch	AUS 0346910
6952HA	GRID smart double gang 2 way touch switch	AUS 0346911
6920HA	GRID smart 10A double power point with 2A dual USB charger	AUS 0172780
6921HA	GRID smart 10A single power point touch activated	AUS 0172784
6922HA	GRID smart 10A double power point touch activated	AUS 0098813 NZ 98813
6264HA	GRID smart 10A quad power point touch activated	AUS 0172785

... O



6912HAMBK



6911HAMBK



6930HA

6903HAMBK





6914HAMBK

6922HAMBK





DETA GRID CONNECT SMART PRODUCTS

6911HAMBK	GRID smart matt black single gang touch switch	AUS 0300148 NZ 0300148
6912HAMBK	GRID smart matt black double gang touch switch	AUS 0300150 NZ 0300150
6903HAMBK	GRID smart matt black triple gang touch switch	AUS 0300151 NZ 0300151
6904HAMBK	GRID smart matt black quad gang touch switch	AUS 0300152 NZ 0300152
6914HAMBK	GRID smart matt black touch fan controller	AUS 0300153 NZ 0300153
6922HAMBK	GRID smart matt black double power point touch activated	AUS TBC

DETA GRID CONNECT SMART PUSH BUTTON SWITCH MECH

6014HA	switch mechanism	AUS 0346912
6032HA	GRID smart Wi-Fi push button dimmer mechanism	AUS 0346914

GRID smart Wi-Fi push button

orks with GRID Connect app. Google Home and Alexa

Australian and New Zealand Standards Approved

Must be installed by a Licensed Electrical Contract







All downlights come with a 1.2m lead and plug and are rewireable



All downlights are IC-4 rated



Dimmable



Cut out diameter

DETA GRID CONNECT SMART PRODUCTS



- JUST LOOK FOR THE GRID CONNECT

BRANDING ON THE PRODUCT PACKAGING.





6210HA



6915HA



6931HA



DET102HA



DET902HA





6000HA



6930HA



6916HA



DET100HA



DET900HA

	print.	I COLL	
5		D	(92) (mm)

DET902P4HA



6294HA	GRID smart 10A double outdoor power point	AUS 0172781
6000HA	GRID smart inline switch	AUS 0098816 NZ 98816
6210HA	GRID smart plug base with rear cover	AUS 0098817 NZ 98817
6930HA	GRID smart 10A rewireable plug	AUS 0098810 NZ 98810
6915HA	GRID smart wall plate with PIR, lux, temp & humidity sensor	AUS 0346907
6916HA	GRID smart outdoor switch with lux, temp & humidity sensor	AUS 0346915
6931HA	GRID smart touchless handwave switch	AUS 0347263 NZ 347263
DET100HA	GRID smart compact PIR motion sensor	AUS 0129567
DET102HA	GRID smart 360 degree ceiling mounted PIR motion sensor	AUS 0129568
DET900HA	GRID smart 7W 660lm LED downlight	AUS 102572
DET902HA	GRID smart 10W 940lm LED downlight	AUS 102573
DET902P4HA	GRID smart 10W 940lm LED downlight - 4 pcs	AUS 321375

GRID smart 18W

1900lm daylight T8 tube

DET018HA

TOUCH SERIES

0

6911B

0.00

6903B

6931B

0 0 0

6914B

0 (

6921B

0 0 0 0

NEW SLEEK GLOSS WHITE FINISH TOUCH ACTIVATED SWITCHES AND SOCKETS.

- Wall switches and sockets are retrofittable and compatible with standard mounting accessories
- UV stabilized plastic does not fade to yellow
- Switches and sockets have blue LED ON indicator light
- Australian and New Zealand safety standards approved

TOUCH	SERIES NON-SMART PROD	UCTS
		4110 000





AUS 111511





LOW PROFILE SWITCHES AND POWER POINTS.

- Low profile 4.3mm thick
- UV stabilized plastic does not fade to yellow
- Retrofit and compatible with standard
- Power points are 10A rated with generous terminal size



6362PB

6362VB

00

6364VB

00

00

00

6366VB

00

6462B

1 1 11 11

(MATT WHITE





6361VB



6363VB



6365VB







6464B



6463MW



mounting accessories Switches are 16AX rated, 2 way switching and loop terminal included

DETA S-LINE LUXE SERIES			
S-Line LUXE white single gang grid plate	AUS 0286357		
S-Line LUXE white double gang grid plate	AUS 0286358		
S-Line LUXE white vertical single gang switch	AUS 0237404		
S-Line LUXE white vertical double gang switch	AUS 0237406		
S-Line LUXE white vertical triple gang switch	AUS 0237408		
S-Line LUXE white vertical quad gang switch	AUS 0237409		
S-Line LUXE white vertical five gang switch	TBD		
S-Line LUXE white vertical six gang switch	TBD		
S-Line LUXE 10A white single power point	AUS 0237411		
S-Line LUXE 10A white double Power Point	AUS 0237412		
S-Line LUXE 10A white quad power point	AUS 0237413		
S-Line LUXE 10A matt white quad power point	AUS 0237436		
S-Line LUXE matt white double power point with extra switch	TBD		
porter point man extra emiten			
	S-Line LUXE white single gang grid plate S-Line LUXE white double gang grid plate S-Line LUXE white vertical single gang switch S-Line LUXE white vertical double gang switch S-Line LUXE white vertical triple gang switch S-Line LUXE white vertical quad gang switch S-Line LUXE white vertical five gang switch S-Line LUXE white vertical six gang switch S-Line LUXE white vertical six gang switch S-Line LUXE 10A white single power point S-Line LUXE 10A white quad power point S-Line LUXE 10A white quad power point S-Line LUXE 10A matt white quad power point S-Line LUXE 10A matt white quad power point		



6464MBK

S-LINE SERIES PRODUCTS **FEATURE INDIVIDUAL** CLIP ON COVERS.

- · Available in matt black finish
- Innovative design and quality manufacturing
- Australian and New Zealand safety standards approved



6463MBK





LOW PROFILE SWITCHES AND POWER POINTS.

 Available in brushed aluminum, gold and polished stainless steel colour



S-LINE SERIES PRODUCTS FEATURE INDIVIDUAL CLIP ON COVERS.

- Available in matt finish
- Paintable

		DETA S-	-LINE LUXE SERIES	
MATT BLACK		6469MBK	S-Line LUXE matt black double power point with USB charger	TBD
6469MBK	6361BA	6361BA	S-Line LUXE brushed aluminium single gang grid plate	AUS 0288815
:	:	6362BA	S-Line LUXE brushed aluminium double gang grid plate	AUS 0288819
6362BA	6363BA	6363BA	S-Line LUXE brushed aluminium triple gang grid plate	AUS 0288824
**	•	6364BA	S-Line LUXE brushed aluminium quad gang grid plate	AUS 0288828
6364BA	6461BA	6461BA	S-Line LUXE brushed aluminium single power point coverplate	AUS 0288832
00		6462BA	S-Line LUXE brushed aluminium double power point coverplate	AUS 0288835
6462BA	6361BG	6361BG	S-Line LUXE brushed gold single gang grid plate	AUS 0288816
		6362BG	S-Line LUXE brushed gold double gang grid plate	AUS 0288821
6362BG	6363BG	6363BG	S-Line LUXE brushed gold triple gang grid plate	AUS 0288825
**	•	6364BG	S-Line LUXE brushed gold quad gang grid plate	AUS 0288829
6364BG	6461BG	6461BG	S-Line LUXE brushed gold single power point coverplate	AUS 0288833
00	•	6462BG	S-Line LUXE brushed gold double power point coverplate	AUS 0288837
6462BG	6361CH	6361CH	S-Line LUXE polished chrome single gang grid plate	AUS 0288818

6362CH	6363CH
**	•
6364CH	6461CH
	•
6462CH	6361AW
:	:
6362AW	6363AW
::	•
6364AW	6461AW
	•
6462AW	6361JG
636316	6363JG
6362JG	บงบงาน

6362CH 6363CH	S-Line LUXE polished chrome double gang grid plate S-Line LUXE polished chrome triple gang grid plate S-Line LUXE polished chrome quad gang grid plate	AUS 0288822 AUS 0288827
6363CH	triple gang grid plate S-Line LUXE polished chrome	
	•	
6364CH	quad garig grid plato	AUS 0288830
6461CH	S-Line LUXE polished chrome single power point coverplate	AUS 0288834
6462CH	S-Line LUXE polished chrome double power point coverplate	AUS 0288838
6361AW	S-Line LUXE antique white single gang grid plate	AUS 0288841
6362AW	S-Line LUXE antique white double gang grid plate	AUS 0288849
6363AW	S-Line LUXE antique white triple gang grid plate	AUS 0288857
6364AW	S-Line LUXE antique white quad gang grid plate	AUS 0288865
6461AW	S-Line LUXE antique white single power point coverplate	AUS 0288875
6462AW	S-Line LUXE antique white double power point coverplate	AUS 0288884
6361JG	S-Line LUXE jade green single gang grid plate	AUS 0288846
6362JG	S-Line LUXE jade green double gang grid plate	AUS 0288852
6363JG	S-Line LUXE jade green triple gang grid plate	AUS 0288861





6364MN

6461MN

LOW PROFILE SWITCHES AND POWER POINTS.


- Available in matt finish
- Paintable



S-LINE SERIES PRODUCTS FEATURE INDIVIDUAL CLIP ON COVERS.

- Available in matt finish
- Paintable

		DETA S	-LINE LUXE SERIES	
::	•	6364JG	S-Line LUXE jade green quad gang grid plate	AUS 0288870
6364JG	6461JG	6461JG	S-Line LUXE jade green single power point coverplate	AUS 0288878
		6462JG	S-Line LUXE jade green double power point coverplate	AUS 0288888
6462JG	6361SG	6361SG	S-Line LUXE soft grey single gang grid plate	AUS 0288840
		6362SG	S-Line LUXE soft grey double gang grid plate	AUS 0288848
6362SG	6363SG	6363SG	S-Line LUXE soft grey triple gang grid plate	AUS 0288856
••	•	6364SG	S-Line LUXE soft grey quad gang grid plate	AUS 0288864
6364SG	6461SG	6461SG	S-Line LUXE soft grey single power point coverplate	AUS 0288874
••	•	6462SG	S-Line LUXE soft grey double power point coverplate	AUS 0288883
6462SG	6361MN	6361MN	S-Line LUXE midnight navy single gang grid plate	AUS 0288844
		6362MN	S-Line LUXE midnight navy double gang grid plate	AUS 0288851
6362MN	6363MN	6363MN	S-Line LUXE midnight navy triple gang grid plate	AUS 0288859
••		6364MN	S-Line LUXE midnight navy quad gang grid plate	AUS 0288869
6364MN	6461MN	6461MN	S-Line LUXE midnight navy single power point coverplate	AUS 0288880



DETA S-LINE LUXE SERIES		
6462MN	S-Line LUXE midnight navy double power point coverplate	AUS 0288887
63610F	S-Line LUXE orchid flower single gang grid plate	AUS 0288847
63620F	S-Line LUXE orchid flower double gang grid plate	AUS 0288854
63630F	S-Line LUXE orchid flower triple gang grid plate	AUS 0288862
63640F	S-Line LUXE orchid flower quad gang grid plate	AUS 0288872
64610F	S-Line LUXE orchid flower single power point coverplate	AUS 0288881
64620F	S-Line LUXE orchid flower double power point coverplate	AUS 0288889
6361ST	S-Line LUXE stone taupe single gang grid plate	AUS 0288843
6362ST	S-Line LUXE stone taupe double gang grid plate	AUS 0288850
6363ST	S-Line LUXE stone taupe triple gang grid plate	AUS 0288858
6364ST	S-Line LUXE stone taupe quad gang grid plate	AUS 0288868
6461ST	S-Line LUXE stone taupe single power point coverplate	AUS 0288877
6462ST	S-Line LUXE stone taupe double power point coverplate	AUS 0288886

Australian and New Zealand Standards Approved Must be installed by a Licensed Electrical Control

single power point coverplate





STYLE AND RELIABILITY.

- · Wealth of features to ensure fast and effortless installation
- Comprehensive range

X6 SERIES

- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Available in white, black, matt black and matt white finish







6153B



6155B



6151VB



6153VB



6155VB



6151PB



6152B



6154B



6156B



6152VB



6154VB



6156VB



6152PB

6152PB

6151B X6 single gang switch 6152B X6 double gang switch

6153B	X6 triple gang switch	AUS 4331833 NZ 4331833
6154B	X6 quad gang switch	AUS 4331834
6155B	X6 five gang switch	AUS 4331836
6156B	X6 six gang switch	AUS 4331837
6151VB	X6 vertical single gang switch	AUS 4331838 NZ 327610
6152VB	X6 vertical double gang switch	AUS 4331839 NZ 327613
6153VB	X6 vertical triple gang switch	AUS 4331840 NZ 327616
6154VB	X6 vertical quad gang switch	AUS 4331841 NZ 327619
6155VB	X6 vertical five gang switch	AUS 4331842 NZ 4331842
6156VB	X6 vertical six gang switch	AUS 4331844 NZ 4331844
6151PB	X6 single gang grid plate	AUS 4331845 NZ 4331845

X6 double gang grid plate





DETA

- · Retrofit and compatible with standard mounting accessories
- Australian and New Zealand safety standards approved



AUS 4331831

AUS 4331832

NZ 4331832

NZ 4331831



6153PB



6155PB

6154PB



6156PB





6159B





6142B

6172B



6180B





6252B

6252BK

6250B

6251B



6252BT

X6 SERIES

6252BK

6153PB	X6 triple gang grid plate	AUS 4331847 NZ 4331847
6154PB	X6 quad gang grid plate	AUS 4331848 NZ 4331848
6155PB	X6 five gang grid plate	AUS 4331849 NZ 4331849
6156PB	X6 six gang grid plate	AUS 4331850 NZ 4331850
6159B	X6 blank wall plate	AUS 4430746 NZ 4430746
6171B	X6 single architrave switch	AUS 4430765
6172B	X6 double architrave switch	AUS 4430766
6142B	X6 fan speed controller with extra switch	AUS 4430763
6180B	X6 150W universal LED dimmer with extra switch	AUS 0098354 NZ 98354
6250B	X6 20A single power point	AUS 4331953
6251B	X6 10A single power point	AUS 4331852 NZ 4331852
6252B	X6 10A double power point	AUS 4331856 NZ 4331856
6252BT	X6 10A double power point trade pack - 10 pcs	AUS 4331870
COEODV	V0.404 black death	ALIO 4004054

X6 10A black double power point AUS 4331951

AUS 4331846

NZ 4331846





STYLE AND RELIABILITY.

- Wealth of features to ensure fast and effortless installation
- Comprehensive range
- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Available in white, black, matt black and matt white finish







6255B



6257B







6225B



6242B



6356B



6254B



6256B



6258B



6224B



6259B



6259BK



6422B

X6 SERIES

6253B	X6 10A single power point with extra switch	AUS 4331853 NZ 4331853
6254B	X6 10A double power point with extra switch	AUS 4331857 NZ 4331857
6255B	X6 10A vertical single power point	AUS 4331854 NZ 327622
6256B	X6 10A vertical double power point	AUS 4331858 NZ 327625
6257B	X6 15A single power point	AUS 4331855 NZ 4331855
6258B	X6 15A double power point	AUS 4331859 NZ 4331859
6214B	X6 10A quad power point	AUS 4430420 NZ 310450
CODAD	X6 10A silver finish	AUS 4430423
6224B	quad power point	NZ 310619
6225B	quad power point X6 10A five power point	NZ 310619 AUS 4430424 NZ 310622
		AUS 4430424
6225B	X6 10A five power point X6 10A double power point	AUS 4430424 NZ 310622 AUS 4331860
6225B 6259B	X6 10A five power point X6 10A double power point with 3.4A dual USB charger X6 10A four power point with	AUS 4430424 NZ 310622 AUS 4331860 NZ 4331860 AUS 0027285
6225B 6259B 6242B	X6 10A five power point X6 10A double power point with 3.4A dual USB charger X6 10A four power point with 3.4A dual USB charger X6 10A black double power point	AUS 4430424 NZ 310622 AUS 4331860 NZ 4331860 AUS 0027285 NZ 27285

X6 SERIES

X6 SERIES PRODUCTS FEATURE INDIVIDUAL CLIP ON COVERS.

DETA

- Retrofit and compatible with standard mounting accessories
- Power points are 10A to 20A rated with generous terminal size
- Australian and New Zealand safety standards approved



6249B

6289B

6010B

6152VMBK

6252MBK

MATT) BLACK

> MATT) BLACK

6231B



6286B



6270B



6245B



6151VMBK



6251MBK



6259MBK

X6 SERIES

X6 10A double power point with night light	AUS 0346913
X6 10A double power point with Wi-Fi range extender	AUS 0332492
X6 10A vertical double power point with extra switch	AUS TBD NZ 87167
X6 10A vertical double power point with 2.4A USB charger	AUS TBD NZ 87168
X6 aluminum double power point coverplate for 6252B	AUS 4430749 NZ 4430749
X6 double power point coverplate for 6252B	AUS 0131965
X6 double power point coverplate with shelf	AUS 0260936
	with night light X6 10A double power point with Wi-Fi range extender X6 10A vertical double power point with extra switch X6 10A vertical double power point with 2.4A USB charger X6 aluminum double power point coverplate for 6252B X6 double power point coverplate for 6252B

X6 SERIES MATT BLACK

6151VMBK	X6 matt black vertical single gang switch	AUS 0237390
6152VMBK	X6 matt black vertical double gang switch	AUS 0237391
6251MBK	X6 10A matt black single power point	AUS 0237393
6252MBK	X6 10A matt black double power point	AUS 0237394
6259MBK	X6 matt black double power point with 3.4A dual USB charger	AUS 0237395

Must be installed by a Lineaged Flooring Co.





STYLE AND RELIABILITY.

- Wealth of features to ensure fast and effortless installation
- Comprehensive range
- UV stabilized plastic does not fade to yellow
- Power points are 10A to 20A rated with generous terminal size
- Available in white, black, matt black and matt white finish



(MATT) WHITE)

6152VMWH

6252MWH





6251MWH



6259MWH

X6 SERIES MATT WHITE

6151VMWH	X6 matt white vertical single gang switch	AUS 0237396
6152VMWH	X6 matt white vertical double gang switch	AUS 0237398
6251MWH	X6 10A matt white single power point	AUS 0237399
6252MWH	X6 10A matt white double power point	AUS 0237400
6259MWH	X6 matt white double power point with 3.4A dual USB charger	AUS 0237403



AUS TBD

NZ 204100

NZ 356912

AUS TBD

NZ 356907



SIMPLICITY AND CONVENIENCE.

• UV stabilized plastic material

X7 SERIES

- Power points are 10A to 15A rated with generous terminal size
- Switches are 16A/10AX rated, 2 way switching and loop terminal included
- Switch mechanism is inserted from the front
- Australian and New Zealand safety standards approved



6187VB



6183VB



6260B



6269B



6267B



6269B-15

6188VB



6184VB



6268B



6266BX



6268B-15

6187VB X7 vertical single gang switch

6188VB	X7 vertical double gang switch	AUS TBD NZ 204102
6183VB	X7 vertical triple gang switch	AUS TBD

C40.4VD	V=	AUS TBD
6184VB	X7 vertical quad gang switch	NZ 356914

6260B	V7 awitahad fiyad aabla autlat	AUS TBD
0200D	X7 switched fixed cable outlet	NZ 356915

6268B	X7 104 vertical single nower point	AOS IBD
OLOOD	X7 10A vertical single power point	NZ 204103

6269B	X7 10A vertical double power point	AUS TBD NZ 204104
6266BX	X7 vertical double power point	AUS TBD

6267B	X7 vertical double power point with 2.1A USB charger	AUS TBD NZ 356904

6268B-15	X7 15A vertical single power point	AUS TBD
0200D-13	A7 15A vertical single power point	NZ 356916

with extra switch

6260P 15	V7 15 A vertical double newer point	AUS TBD
02030-13	X7 15A vertical double power point	NZ 356917





SIMPLICITY AND CONVENIENCE.

- UV stabilized plastic material
- Power points are 10A to 15A rated with generous terminal size
- Switches are 16A/10AX rated, 2 way switching and loop terminal included
- · Switch mechanism is inserted from the front
- Australian and New Zealand safety standards approved



- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Power points are 10A to 15A rated with generous terminal size
- Retrofit and compatible with standard mounting accessories
- Australian and New Zealand safety standards approved



(MATT), WHITE)

WHITE

(MATT) BLACK

(MATT)

MATT

6188VMW

6266MW

6187VMBK

6269MBK

6267MBK

6508B-IS0





6269MW



6267MW



6188VMBK



6266MBK



6508B




6508B-RCD

X7 SERIES MATT WHITE AND MATT BLACK

6187VMW	X7 matt white vertical single gang switch	AUS TBD NZ 356900
6188VMW	X7 matt white vertical double gang switch	AUS TBD NZ 356902
6269MW	X7 matt white vertical double power point	AUS TBD NZ 356910
6266MW	X7 matt white vertical double power point with extra switch	AUS TBD NZ 356908
6267MW	X7 matt white vertical double power point with USB charger	AUS TBD NZ 356905
6187VMBK	X7 matt black vertical single gang switch	AUS TBD NZ 356901
6188VMBK	X7 matt black vertical double gang switch	AUS TBD NZ 356903
6269MBK	X7 matt black vertical double power point	AUS TBD NZ 356911
6266MBK	X7 matt black vertical double power point with extra switch	AUS TBD NZ 356909
6267MBK	X7 matt black vertical double power point with USB charger	AUS TBD NZ 356906
6508B	X7 series blank insert keystone module	TBD
6508B-IS0	X7 series blank insert keystone module with iso markings	TBD
6508B-RCD	X7 series blank insert keystone module with rcd markings	TBD
	module with roa markings	











- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Power points are 10A to 15A rated with generous terminal size
- Retrofit and compatible with standard mounting accessories
- Australian and New Zealand safety standards approved



- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Power points are 10A to 15A rated with generous terminal size
- Retrofit and compatible with standard mounting accessories
- Australian and New Zealand safety standards approved







6106B



6109BT



6112B



6121B



6132B



6129B

000

6105B



6109B



6111B



6181B



6123B



6141B



6157B

6000 SERIES		
6104VB	Vertical quad gang switch	AUS 4330982 NZ 310625
6105B	Five gang switch	AUS 4331862 NZ 4331862
6106B	Six gang switch	AUS 4331863
6109B	Blank wall plate	AUS 4430455 NZ 313159
6109BT	Blank wall plate trade pack - 10 pcs	AUS 4430756
6111B	Single gang architrave switch	AUS 4430440 NZ 310569
6112B	Double gang architrave switch	AUS 4430442 NZ 310575
6181B	Black single gang architrave switch	AUS 4430550 NZ 310572
6121B	Lamp dimmer with extra switch	AUS 4430392
6123B	Vertical lamp dimmer with extra switch	AUS TBD NZ 310467
6132B	Universal LED dimmer with extra switch	AUS 0098353 NZ 98353
6141B	Fan speed controller with extra switch	AUS 4430391 NZ 310628
6129B	Switched fixed cable outlet	AUS TBD NZ 310367
6157B	Double pole appliance switch	AUS 0027286 NZ 27286

6007B	6243B
6201B	6202B
THE PARTY OF THE P	0 0
6202BT	6203B
6204B	6205B
0 ?	W-I-D-E
6206B	6212B
(15A)	(15A)
6215B	6216B
6328B	6220B



Australian and New Zealand Standards Approved

22





- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Power points are 10A to 15A rated with generous terminal size
- Retrofit and compatible with standard mounting accessories
- Australian and New Zealand safety standards approved



CARAVAN AND PORTABLE BUILDING SOLUTIONS.

- Caravan inlet and outlet are IP34 weatherproofed
- Caravan inlet and outlet has mounting accessories and foam seal tape included
- UV stabilized plastic does not fade to yellow
- DP series switches and power points all use double pole switching
- Australian and New Zealand safety standards approved













6272B





MRDC01G MRDC01G-RED





6321BA-BU

6205RE

MRDC01G-BLUE





6321BA-RD

6507B-BU

6205BU

6507B-RD

6000 SERIES

6221B	10A double power point with 3.4A dual USB A&C charger	AUS 0065732
6282B	10A silver double power point	AUS 4430551 NZ 310598
6272B	10A black double power point	AUS 4430549 NZ 310595

MED SERIES.

- 10mA type A RCD Australian and New Zealand safety standards approved AS/NZS 3190
- UV stabilized plastic does not fade to yellow
- · Medical and hospital graded products

MRDC01G	20A white residual-current device wall plate	TBD
MRDC01G- RED	20A red residual-current device wall plate	TBD
MRDC01G- BLUE	20A blue residual-current device wall plate	TBD
6321BA-BU	10A blue single narrow power point with double pole switch	TBD
6321BA-RD	10A red single narrow power point with double pole switch	TBD
6205RE	10A red vertical single power point	TBD
6205BU	10A blue vertical single power point	TBD
6507B-BU	Through hole insert suits plate blue	TBD
6507B-RD	Through hole insert suits plate red	TBD



6395B

00

6126B

0

1

6321BA

6229B

6390B



6391B

6122B



6127B



6222B





DP SERIES

		
6390B	15A caravan inlet	AUS 0087089
6391B	10A caravan outlet	AUS 0087090
6395B	15A caravan outlet	AUS 0087091
6122B	Double pole single gang switch	AUS 0087093
6126B	Double pole double gang switch	AUS 0087094
6127B	Double pole single gang architrave switch	AUS 0087095
6321BA	10A single narrow power point with double pole switch	TBD
6222B	10A double pole double power point	AUS 0087096
6229B	10A double pole double power point with 2.4A USB charger	AUS 0087099
6223B	10A double pole double power point with extra switch	AUS 0087097





- UV stabilized plastic does not fade to yellow
- Switches are 16AX rated, 2 way switching and loop terminal included
- Power points are 10A to 15A rated with generous terminal size
- Australian and New Zealand safety standards approved

WEATHERPROOF SERIES

- IP66 rated weatherproofed switches and isolator
- IP54 rated power points meet zone 2 installation requirement
- Australian and New Zealand safety standards approved
- UV stabilized plastic does not fade to yellow



0

3101VB

0

0

3102VB

11 11

3202B

000

11 11

3204B

3216B





3102B



3201B



3202BT



3215B



3220B

3000 SERIES 3101B AUS 4430449 Single gang switch AUS 310583 3101VB Vertical signal gang switch **NZ** 310583 3102B Double gang switch AUS 4430450 AUS 310856 3102VB Vertical double gang switch **NZ** 310856 AUS 4430428 3201B 10A single power point **NZ** 310757 AUS 4430429 3202B 10A double power point **NZ** 4430429 10A double power point trade 3202BT AUS 4331873 pack - 10 pcs 10A double power point with 3204B AUS 4430764 extra switch 3215B 15A single power point **AUS** 4331954 3216B 15A double power point AUS 4331955 10A double power point 3220B **AUS** 0131964 with 3.4A dual USB charger













6297B



6194B



6094B



6098B



6293B



6294BT



6296B



6394B

WEATHERPROOF SERIES		
6193B	Weatherproof IP66 20A outdoor single gang switch	AUS 4430626 NZ 4430626
6194B	Weatherproof IP66 20A outdoor double gang switch	AUS 4430627 NZ 4430627
6092B	Weatherproof IP66 20A single pole isolator	AUS 4430665
6094B	Weatherproof IP66 40A single pole isolator	AUS 4430643 NZ 287364
6096B	Weatherproof IP66 35A double pole isolator	AUS 0270453
6098B	Weatherproof IP66 20A double pole rotary isolator	AUS 0270452
6290B	Weatherproof IP33 10A single power point	AUS 4430434 NZ 310382
6293B	Weatherproof IP54 10A single power point	AUS 4330976 NZ 254581
6294B	Weatherproof IP54 10A double power point	AUS 4330977 NZ 254578
6294BT	Weatherproof IP54 10A double power point trade pack - 4 pcs	AUS 4331878
6295B	Weatherproof IP54 10A double power point with extra switch	AUS 4220522 NZ 287367
6296B	Weatherproof IP54 15A single power point	AUS 4331353
6297B	Weatherproof IP54 10A single power point with padlock hole	AUS 4331956
6394B	Weatherproof IP54 15A double power point	AUS 0347261

WEATHERPROOF SERIES

- IP66 rated weatherproofed switches and isolator
- IP54 rated power points meet zone 2 installation requirement
- Australian and New Zealand safety standards approved
- UV stabilized plastic does not fade to yellow



- Single to three phase application
- 10-32A rated products
- IP66 rated weatherproof industrial graded products
- Australian and New Zealand safety standards approved













6397B







6294BK





6893B




6894B

WEATHERPROOF SERIES

6397B	Weatherproof IP54 15A single power point with padlock hole	AUS 4331957
6294BSK	Weatherproof IP54 double power point with shallow & flush boxes	AUS 0131966
6298B	Weatherproof double power point with 3.4A A&C USB charger	AUS 0172783
6193BK	Weatherproof IP66 20A black single gang switch	AUS 0347260
6294BK	Weatherproof IP54 10A black double power point	AUS 0027284 NZ 27284

DETA ELEMENTS RHODIUM PLATED

6893B	IP54 10A outdoor single power point rhodium plated	AUS 4331293 NZ 4331293
6894B	IP54 10A outdoor double power point rhodium plated	AUS 4331292 NZ 4331292



THE ADVANTAGES OF RHODIUM PROTECTION

High Performance

Rhodium provides the best possible contact surface for maximum power transfer due to its extremely low resistance to the flow of electricity.

Resistance

tarnish, oxidise or corrode, ensuring a stable and reliable surface for electrical connection. Hard Wearing

Rhodium is a very hard, dense and chemically inert metal. It is unaffected by moisture or oxygen.

Rhodium plated for high performance

3310B	3311B
3312B	3313B
3314B	3315B
3410B	3411B
3412B	3413B
3414B	3415B
3510B	3511B

INDUST	RIAL SERIES	
3310B	IP66 10A switched outlet flat 3 pin	AUS 0277347
3311B	IP66 15A switched outlet flat 3 pin	AUS 0277349
3312B	IP66 20A switched outlet round 4 pin	AUS 0277350
3313B	IP66 32A switched outlet round 4 pin	AUS 0277351
3314B	IP66 20A switched outlet round 5 pin	AUS 0277352
3315B	IP66 32A switched outlet round 5 pin	AUS 0277354
3410B	IP66 10A straight plug flat 3 pin	AUS 0277355
3411B	IP66 15A straight plug flat 3 pin	AUS 0277356
3412B	IP66 20A straight plug round 4 pin	AUS 0277359
3413B	IP66 20A straight plug round 4 pin	AUS 0277360
3414B	IP66 20A straight plug round 5 pin	AUS 0277362
3415B	IP66 32A straight plug round 5 pin	AUS 0277364
3510B	IP66 10A extension socket flat 3 pin	AUS 0277365
3511B	IP66 15A extension socket flat 3 pin	AUS 0277367





- Single to three phase application
- 10-32A rated products
- IP66 rated weatherproof industrial graded products
- Australian and New Zealand safety standards approved



LIGHTING ACCESSORIES

Australian and New Zealand safety standards approved







3514B



3300B



3515B 3610B

INDUSTRIAL SERIES		
3512B	IP66 20A extension socket round 4 pin	AUS 0277368
3513B	IP66 32A extension socket round 4 pin	AUS 0277370
3514B	IP66 20A extension socket round 5 pin	AUS 0277371
3515B	IP66 20A extension socket round 5 pin	AUS 0277373
3300B	Plug and socket threaded coupling set	AUS 0277374
3610B	Suspended extension socket 10A	AUS 0277376
3615B	Suspended extension socket 15A	AUS 0277379





6316B

6317B

6320B





6407B



6402BK

LIGHTING ACCESSORIES 6314B Bayonet adaptor plug **AUS** 4430371 6317B Push bar switch lamp holder AUS 4430399 6319B Suspension lamp holder AUS 4430400 6320B Suspension kit AUS 4430401 6345B Lamp holder skirt AUS 4430402 AUS 4430403 6316B Festoon lamp holder **NZ** 313167 6318B Rocker switch lamp holder AUS 4430398 **AUS** 4430372 6401B Batten lamp holder **NZ** 310370 Batten lamp holder trade pack **AUS** 4430373 6401BT - 10 pcs **NZ** 310804 **AUS** 0332491 6402BK Adjustable black batten holder **NZ** 332491 **AUS** 4430709 6407B E27 batten lamp holder **NZ** 310034 AUS 4430384 6315B Ceiling rose **NZ** 310411

AUDIO VISUAL DATA

AV & DATA WALL PLATES AND INSERTS.

- Wide range of TV PAL or F-Type combinations
- Wide range of AV combinations
- Wide range of data combinations
- Wide range of cable management plates

AUDIO VISUAL DATA

AV & DATA WALL PLATES AND INSERTS.

- Wide range of TV PAL or F-Type combinations
- Wide range of AV combinations
- Wide range of data combinations
- Wide range of cable management plates

65	509B









6511B







6512B



6513B











6519BT





6521B



6533B

6531B

AUDIO VISUAL		
6509B	Blank wallplate insert - 2pcs	AUS 4331230
6511B	PAL outlet wall plate	AUS 4430537
6512B	PAL outlet architrave plate	AUS 4430538
6513B	PAL and F-connector outlet wall plate	AUS 4430543
6514B	F-connector architrave plate	AUS 4430542
6515B	PAL wall plate insert	AUS 4331226
6519B	Brush wall plate	AUS 4430713
6500B	Round brush plate	AUS 0286360
6519BT	Brush wall plate - 10pcs	AUS 4430757
6522B	F-connector wall plate insert	AUS 0286361
6521B	F-connector outlet wall plate	AUS 4430536
6527B	Bull nose brush wall plate	AUS 4331825
6531B	Speaker pair colour coded - 2pcs	AUS 4331227
6533B	RCA pair wall plate insert - 3pcs	AUS 4331238

6540B	6551B
6552B	6550B
DE TA	
6553B	6557B
To the same of the	
6558B	6538B
CYP	1

AUDIO VISUAL		
6540B	HDMI wall plate insert	AUS 4331228
6551B	RJ45 single ethernet wall plate	AUS 4430555
6552B	RJ45 double ethernet wall plate	AUS 4430557
6550B	RJ45 skirting board outlet	AUS 0286362
6553B	RJ45 ethernet inline coupler	AUS 4360449
6557B	RJ45 ethernet insert	AUS 4331229
6558B	RJ45 ethernet coupler insert	AUS 4360450
6538B	Optical / Toslink insert	AUS 0083498
6539B	HDMI insert with cable	AUS 0083497
6503B	Skirting F-connector outlet	AUS 4360357
6501B	Skirting PAL outlet	AUS 4360356



6539B

ELECTRICAL ACCESSORIES



• Australian and New Zealand safety standards approved

ELECTRICAL ACCESSORIES

• Australian and New Zealand safety standards approved







6024B



6013B



6032B



6209B



6210B



6207BM



6210BT

MECHS DIMMERS PLUGS BASE		
6014B	16AX rocker switch mechanism	AUS 4430711 NZ 4430711
6022B	10A Double pole rocker switch mechanism	AUS 4331830
6024B	10A Intermediate rocker switch mechanism	AUS 4331829 NZ 4331829
6140B	Fan controller mechanism with capacitor 3 speed 3A M5	AUS 0332493
6013B	Rewireable foot switch double pole 5A	AUS 0300146
6324B	10A Cordline switch double pole	AUS 4430444 NZ 310455
6032B	200W Universal LED dimmer mechanism	AUS 0098352 NZ 98352
6035B	400W multi-way universal dimmer integrated push switch mech	AUS 0300147
6209B	10A Miniature plug base with rear cover	AUS 4430736 NZ 4430736
6209BT	Miniature plug base with rear cover trade pack - 10 pcs	AUS 4331887
6210B	10A Plug base with rear cover	AUS 4430697 NZ 4430697
6210BT	10A Plug base with rear cover trade pack - 10 pcs	AUS 4430698
6207BM	Quick fit plug base mega pack - 25 pcs	AUS 0255275
6232B	Double plug base with rear cover	AUS 0065730 NZ 65730





MECHS DIMMERS PLUGS BASE		
6133B	3 way switch	TBD
6044B	Bell press return switch	TBD
6437B	Orange neon indicator mechanism	TBD
6437RB	Red neon indicator mechanism	TBD
6437YB	Yellow neon indicator mechanism	TBD
6437GB	Green neon indicator mechanism	TBD
6022BU	Double pole rocker switch mechanism blue dolly	TBD
6022RD	Double pole rocker switch mechanism red dolly	TBD
6322B	Double pole switch mechanism 20A	TBD
6037B	Single pole switch mechanism 35A	TBD
6506B	Clear circuit ID insert suits	TBD
6507B	Through hole insert suits	TBD
DALC100	LED downlight active load correction device	TBD





ELECTRICAL ACCESSORIES

- 10A to 15A rated rewirables
- Australian and New Zealand safety standards approved

CIRCUIT PROTECTION

- Din rail MCB are C curve 10kA short circuit rated
- Din rail RCBO are C curve 30mA 6kA short circuit rated and ESV listed
- Plug in MCB are C curve 1.5kA short circuit rated
- Australian and New Zealand safety standards approved







6333B

6334B

6341B







6238B



6311B



6338B



REWIRABLE PLUG & SOCKET

6310B	10A clear rear entry plug top with hard cover	AUS 0046005 NZ 46005
6331B	10A clear rear entry plug top with soft cover	AUS 4430408 NZ 310814
6336B	10A grey rear entry plug top with soft cover	AUS 4430413 NZ 4430413
6339B	10A white rear entry plug top with soft cover	AUS 4430411 NZ 310461
6238B	10A black rear entry plug top with soft cover	AUS TBD NZ 310817
6333B	10A black side entry plug top with soft cover	AUS 4330985 NZ 310820
6311B	10A clear cord extension socket with hard cover	AUS 0046006 NZ 46006
6334B	10A clear cord extension socket with soft cover	AUS 4430439 NZ 310458
6338B	10A white cord extension socket with soft cover	AUS 4430436 NZ 310376
6341B	10A grey cord extension socket with soft cover	AUS 4430437 NZ 316379
6239B	10A black cord extension socket with soft cover	AUS TBD NZ 310883



SWITCHBOARD & CIRCUIT PROTECTION		
6701B	1 module surface mounted enclosure	AUS 4331355
6702B	2 module surface mounted enclosure	AUS 4331354
6704B	4 module surface mounted enclosure	AUS 4331357
6708B	8 module switchboard enclosure	AUS 4330992 NZ 4330992
6712B	12 module switchboard enclosure	AUS 4330993 NZ 4330993
6718B	18 module switchboard enclosure	AUS 4330995 NZ 254497
6750B	Earth clamp & warning tag	AUS 4430625
6751B	Earth rod	AUS 4430624
6661-10B	10A miniature circuit breaker	AUS 0167736 NZ 167736
6661-16B	16A miniature circuit breaker	AUS 0167738 NZ 167738
6661-20B	20A miniature circuit breaker	AUS 0167740 NZ 167740
6661-25B	25A miniature circuit breaker	AUS 0167741 NZ 167741
6661-32B	32A miniature circuit breaker	AUS 0167744 NZ 167744
6661-40B	40A miniature circuit breaker	AUS 0167745 NZ 167745

CIRCUIT PROTECTION

- Din rail MCB are C curve 10kA short circuit rated
- Din rail RCBO are C curve 30mA 6kA short circuit rated and ESV listed
- Plug in MCB are C curve 1.5kA short circuit rated

SWITCHBOARD & CIRCUIT PROTECTION

AUS 0167746

• Australian and New Zealand safety standards approved

MOUNTING ACCESSORIES

MOUNTING ACCESSORIES DESIGNED TO FIT DIFFERENT INSTALLATION AND ASSEMBLY NEEDS



6645-16B

6645-25B

6657-40B



































6661-63B	63A miniature circuit breaker	NZ 167746
6645-10B	10A residual circuit breaker with overcurrent protection	AUS 0131969
6645-16B	16A residual circuit breaker with overcurrent protection	AUS 0131970
6645-20B	20A residual circuit breaker with overcurrent protection	AUS 0131971
6645-25B	25A residual circuit breaker with overcurrent protection	AUS 0131972
6645-32B	32A residual circuit breaker with overcurrent protection	AUS 0131973
6657-40B	40A residual-current device type A	AUS TBD NZ 297040
6656-40B	40A residual-current device type AC	AUS 4430660
6608B	8A plug-in miniature circuit breaker	AUS 4430385
6616B	16A plug-in miniature circuit breaker	AUS 4430387 NZ 310894
6620B	20A plug-in miniature circuit breaker	AUS 4430388 NZ 310897
6632B	32A plug-in miniature circuit breaker	AUS 4430389 NZ 310900
6606B	6A plug-in miniature circuit breaker	AUS TBD NZ 313499
6610B	10A plug-in miniature circuit breaker	AUS TBD NZ 313502

6065B	6065BT
6066B	Lame Advancing which are transferred for the control of the contro
6062B	6068B
6326B	6067B
6061B	6057B
6057BT	6043B
6078B	6058B

MOUNTI	ING ACCESSORIES	
6065B	34mm deep mounting block	AUS 4430375 NZ 310356
6065BT	34mm deep mounting block trade pack - 5 pcs	AUS 4430754
6066B	14mm shallow mounting block	AUS 4430376 NZ 310444
6066BT	14mm shallow mounting block trade pack - 5 pcs	AUS 4430755
6062B	34mm deep mounting block wide spaced double power point	AUS 4430565 NZ 310789
6068B	14mm mounting block with clip-oncover	AUS 4430379 NZ 310786
6326B	25mm architrave switch mounting block	AUS 4430380 NZ 310783
6067B	25mm four outlet mounting block	AUS 4430377 NZ 310795
6061B	25mm five outlet mounting block	AUS 4430552 NZ 310798
6057B	Wall mounting box with adjustable lugs	AUS 4430374 NZ 310780
6057BT	Wall mounting box with adjustable lugs trade pack - 6 pcs	AUS 4331874
6043B	Power point shroud	AUS 4331865
6078B	Enclosed surface mounting box	AUS 4331902 NZ 4331908
6058B	Flush box	AUS TBD NZ 313150



MOUNTING ACCESSORIES

MOUNTING ACCESSORIES DESIGNED TO FIT DIFFERENT INSTALLATION AND ASSEMBLY NEEDS

MOUNTING ACCESSORIES

MOUNTING ACCESSORIES DESIGNED TO FIT DIFFERENT INSTALLATION AND ASSEMBLY NEEDS







6325B



6070B



6071B



6054B



6086B



6360B



6340B

MOUNTING ACCESSORIES			
6058BT	Flush box trade pack - 10 pcs	AUS TBD NZ 254560	
6069B	Flush box for wide spaced double power point	AUS TBD NZ 310792	
6325B	Small junction box	AUS 4430396 NZ 310473	
6325BT	Small junction box trade pack - 10 pcs	AUS 4331882	
6070B	Junction box	AUS 4430393 NZ 310361	
6070BT	Junction box trade pack - 10 pcs	AUS 4430397 NZ 310801	
6071B	Large junction box	AUS 4430395 NZ 310373	
6071BT	Large junction box trade pack - 5 pcs	AUS 4331879	
6054B	Vertical stud mounting bracket	AUS 0027287	
6085B	12 terminal 15A strip connectors for 4mm² cable	AUS 4331358	
6086B	12 terminal 20A strip connectors for 6mm² cable	AUS 4332100	
6340B	40A single screw cable connectors - 8 pcs	AUS 4430390 NZ 310429	
6360B	40A double screw cable connectors - 8 pcs	AUS 4331326	
6351B	40A single screw cable connectors - 100 pcs	AUS 4331566	








MOUNTING ACCESSORIES			
6352B	40A double screw cable connectors - 50 pcs	AUS 4331567	
6050B	Stud mounting bracket	AUS 4430381 NZ 310772	
6050BT	Stud mounting bracket trade pack - 25 pcs	AUS 4430753	
6051B	Plaster clip bracket	AUS 4430383 NZ 310775	
6051BT	Plaster clip bracket trade pack - 20 pcs	AUS 4430659	
6052B	Quick fit stud mounting bracket	AUS 4430382	
6052BT	Quick fit stud mounting bracket trade pack - 25 pcs	AUS 0019651	
6048B	50mm installation screws	AUS TBD NZ 310941	
6178B	Metal cavity wall box, fire rated	TBD	
6179B	Mounting bracket for brick and concert surface	TBD	

CLIPS

- Impact resistance and durable high quality material
- High strength carbon steel nails
- Available in different pack sizes
- Suitable for trade applications
- Suits 1mm² to 6mm² cable





DYX25H



DER30	DER20
DDD29V	DDRAGK
DPB38K	DPB48K

	4
DPG01	DPB8420

LEADS AND POWERBOARDS			
DCL40	40m 2.5mm 15A extra heavy duty extension lead	AUS 0191739 NZ 0191739"	
DYL50	50m 2.5mm 10A extra heavy duty extension lead	AUS 0191740 NZ 0191740"	
DYX15	15m dual socket heavy duty extension lead	AUS 4420469 NZ 4420469"	
DYX25H	25m 2-tuff heavy duty garden extension lead with carry reel	AUS 0132422 NZ 0132422"	
DRX30	30m dual socket extra heavy duty extension lead	AUS 4420468 NZ 4420468"	
DYX25	25m dual socket heavy duty extension lead	AUS 4420470 NZ 4420470"	
DRX20	20m dual socket extra heavy duty extension lead	AUS 4420471	
DREL30	30m extra heavy duty extension lead	AUS 0372152	
DER30	30m extra heavy duty extension lead	NZ 0322321	
DER20	20m extra heavy duty extension lead	NZ 0322318	
DPB38K	3 outlet IP33 surge protected workshop powerboard	AUS 0255280	
DPB48K	4 outlet workshop powerboard	AUS 0372628	
DPG01	IP44 outdoor power cube	AUS TBD	
DPB8420	IP55 quad heavy duty power block	AUS 0172964	

Control of the second of the s	20 San Land Copy III
6768B	6760B-20
6760BK-20	6761B-20
exa 20	econ 20
6761BK-20	6762B-20
	DETA 100
6763B-20	6761B-100
6762B-100	6763B-100
6760B-200	6764B-500
6762B-500	6765B-20

CABLE CLIPS		
6768B	Cable clips tool box	AUS 0255279
6760B-20	5mm white flat cable clips - 20 pcs	AUS 0126956 NZ 126956
6760BK-20	5mm black flat cable clips - 20 pcs	AUS 0126958 NZ 126958
6761B-20	7mm white flat cable clips - 20 pcs	AUS 0126959 NZ 126959
6761BK-20	7mm black flat cable clips - 20 pcs	AUS 0126961 NZ 126961
6762B-20	13mm white flat cable clips - 20 pcs	AUS 0126963 NZ 126963
6763B-20	15mm white flat cable clips - 20 pcs	AUS 0126964 NZ 126964
6761B-100	7mm white flat cable clips - 100 pcs	AUS 0126966 NZ 126966
6762B-100	13mm white flat cable clips - 100 pcs	AUS 0126968 NZ 126968
6763B-100	15mm white flat cable clips - 100 pcs	AUS 0126969 NZ 126969
6760B-200	5mm white flat cable clips - 200 pcs	AUS 0126970 NZ 126970
6764B-500	10mm white flat cable clips - 500 pcs	AUS 0126971 NZ 126971
6762B-500	13mm white flat cable clips - 500 pcs	AUS 0126972 NZ 126972
6765B-20	6mm white round cable clips - 20 pcs	AUS 0126975 NZ 126975

CABLE CLIPS

- Impact resistance and durable high quality material
- High strength carbon steel nails
- Available in different pack sizes
- Suitable for trade applications
- Suits 1mm² to 6mm² cable

TOOLS AND INSTRUMENTS

- Multimeters are CAT III 600V or CAT IV 600V approved
- Non-contact voltage testers are CAT III 1000V or CAT IV 1000V approved
- Clamp meters are auto-ranging
- True-RMS clamp meter and multimeters offer superior accuracy
- Fiberglass fishing tape insulated against live electricity



6765BK-20



6766B-100



6767BK-20



6767BK-100



6766B-20



6767B-20



6767B-100



6764B-20

CABLE CLIPS		
6765BK-20	6mm black round cable clips - 20 pcs	AUS 0126976 NZ 126976
6766B-20	10mm white round cable clips - 20 pcs	AUS 0126977 NZ 126977
6766B-100	10mm white round cable clips - 100 pcs	AUS 0126978 NZ 126978
6767B-20	10mm white hook cable clips - 20 pcs	AUS 0126979 NZ 126979
6767BK-20	10mm black hook cable clips - 20 pcs	AUS 0126982 NZ 126982
6767B-100	10mm white hook cable clips - 100 pcs	AUS 0126983 NZ 126983
6767BK-100	10mm black hook cable clips - 100 pcs	AUS 0126984 NZ 126984
6764B-20	10mm white flat cable clips - 20pcs	AUS 0126962 NZ 126962
6764B-100	10mm white flat cable clips - 100 pcs	AUS 0126967 NZ 126967

	DETA
DET240	DET566
The same of the sa	
DET266	DET241
DETA DETA DETA	The second secon
DET242	DET243
6000LEV	DET246
DET248	DET249
DEILTO	DEILTS

TOOLS		
DET240	AC test plug	AUS 4420488 NZ 322372
DET566	Non-contact voltage tester	AUS 4420348 NZ 4420348
DET266	Electronic multi-function tester	AUS TBD NZ 270066
DET241	Powerful magnet	AUS 0300142
DET242	DETA appliance test tag and log book	AUS 0300143
DET243	DETA appliance test and tag sticker - 100 pcs	AUS 0300145
6000LEV	Power point leveller and cut-out template	AUS 0250588 NZ 250588
DET246	5m extra heavy duty fiberglass fishing tape	TBD
DET248	5m fiberglass fishing tape	TBD
DET249	30m fiberglass fishing tape	TBD

Must be installed by a Licensed Electrical Contractor

44

TBD

TOOLS AND INSTRUMENTS

- Multimeters are CAT III 600V or CAT IV 600V approved
- Non-contact voltage testers are CAT III 1000V or CAT IV 1000V approved
- · Clamp meters are auto-ranging
- True-RMS clamp meter and multimeters offer superior accuracy
- · Fiberglass fishing tape insulated against live electricity

PVC ELECTRICAL INSULATION TAPE AND ACCESSORIES

600V RATED PVC INSULATION TAPE

- Flame retardant and standard PVC insulation tape
- 0.18mm thick

69000B

- UL listed and safety approved PVC insulation tape
- PVC insulation tape are UV resistant and cold resistant

PVC INSULATION TAPE AND ACCESSORIES

20m insulation PVC tape

18mm black

PVC insulation tape suitable up to 80°C



DET244



DET563



DET568



DET570





DET245




DET567



DET569




DET571



69000B 69002B 69004B 69015B





347559

347562

197809

197810

PVC ELECTRICAL INSULATION TAPE AND ACCESSORIES

600V RATED PVC INSULATION TAPE

- Flame retardant and standard PVC insulation tape
- 0.18mm thick
- UL listed and safety approved PVC insulation tape
- PVC insulation tape are UV resistant and cold resistant

PVC INSULATION TAPE AND ACCESSORIES

• PVC insulation tape suitable up to 80°C

LIGHTING

BATTEN LIGHTS

• LED tube batten lights

DET121D

DET121D

DET121G

DET221G

Fluorescent tube batten lights

LED TUBE BATTEN LIGHTS

18W 120cm single diffused LED batten Light

36W 120cm twin diffused

18W 120cm single wire cage

36W 120cm twin wire cage

LED batten light

LED batten Light

• Integrated LED batten lights













69202B





62080B 69900B



69110B	20m flame retardant PVC tape 19mm assorted - 10 pcs	TBD
69200B	10m self fusing tape	TBD
69201B	10m conduit fixing tape 12mm	TBD
69202B	10m conduit fixing tape 24mm	TBD
69900B	100m underground mains marker tape	TBD
62080B	PVC tape dispenser	TBD
DETET12	20m insulation PVC tape 18mm assorted - 12 pcs	TBD

DET121D	DET221D
DET121G	DET221G

	LED batten light
FLUORE	SCENT TUBE BATTEN LIGI
EL118	18W 60cm single fluorescent T8 tube bare batten light
EL218	36W 60cm twin fluorescent T8 tube bare batten light
EL136	36W 120cm single fluorescent T8 tube bare batten light
EL236	72W 120cm twin fluorescent T8 tube bare batten light
EL28	28W 120cm single fluorescent T5 tube bare batten light
EL28T	56W 120cm twin fluorescent T5 tube bare batten light
ELF36D	36W 120cm single fluorescent T8 tube diffused batten light
ELF36TD	72W 120cm twin fluorescent T8 tube diffused batten light

THE STATE OF THE S	H
EL118	EL218
EL136	EL236
EL28	EL28T
ELF36D	ELF36TD

	FLUORE	ESCENT TUBE BATTEN LIGH	ITS
The state of the s	EL118	18W 60cm single fluorescent T8 tube bare batten light	4332126
EL118 EL218	EL218	36W 60cm twin fluorescent T8 tube bare batten light	4332125
N. C.	EL136	36W 120cm single fluorescent T8 tube bare batten light	4332121
EL136 EL236	EL236	72W 120cm twin fluorescent T8 tube bare batten light	4332123
	EL28	28W 120cm single fluorescent T5 tube bare batten light	4370919
EL28 EL28T	EL28T	56W 120cm twin fluorescent T5 tube bare batten light	4370921
	ELF36D	36W 120cm single fluorescent T8 tube diffused batten light	28558
ELF36D ELF36TI	ELF36TD	72W 120cm twin fluorescent T8 tube diffused batten light	28559
Must be installed by a Licensed Electrical Contractor			49

LIGHTING

BATTEN LIGHTS

- LED tube batten lights
- Fluorescent tube batten lights
- Integrated LED batten lights





All downlights come with a 1.2m lead and plug and are rewireable




All downlights are IC-4 rated



Dimmable



Cut out diameter



INTEGRATED LED BATTEN LIGHTS		
DET349	40W 120cm DELOS IP20 LED batten light. Tri-colour & dual-power	347569
DET362	20W 60cm DIO IP20 LED batten light. Tri-colour & multi-power	347568
DET363	40W 120cm DIO IP20 LED batten light. Tri-colour & multi-power	347561
DET363S	40W 120cm DIO SENSOR IP20 LED batten light. Tri-colour & multi-power	347570
DET363EM	40W 120cm DIO EMERGENCY IP20 LED batten light. Tri-colour & multi-power	ТВС
DET364	20W 60cm ARGOS WIDE IP20 LED batten light. Tri-colour & multi-power	347564
DET365	40W 120cm ARGOS WIDE IP20 LED batten light. Tri-colour & multi-power	347558
DET366	20W 60cm AKOLI tri-proof LED batten light. Tri-colour & multi-power	347563
DET367	40W 120cm AKOLI tri-proof LED batten light. Tri-colour & multi-power	347566
DET367S	40W 120cm AKOLI SENSOR tri-proof LED batten light. Tri-colour & multi-power	ТВС
DET367EM	40W 120cm AKOLI EMERGENCY tri-proof LED batten light. Tri-colour & multi-power	ТВС

(92) (mm)	(92) (92)
DET270RV	DET271RV
70	(70)
DET300	DET300P10
(92)	92 mm
DET302	DET302P10
(70)	92
DET400	DET402
92	(92) mm
DET410RV	DET415RV
(110) (110)	160
DET420	DET422
190	92)
DET424	DET450

DOWNLIGHTS		
DET270RV	11W IP65 rated. Warm white dimmable LED downlight	177636
DET271RV	11W IP65 rated. Daylight dimmable LED downlight	177637
DET300	7W IP44 tri-colour dimmable LED downlight	98122
DET300P10	7W IP44 tri-colour dimmable LED downlight - Pack of 10	98123
DET302	9W IP44 tri-colour dimmable LED downlight	98124
DET302P10	9W IP44 tri-colour dimmable LED downlight - Pack of 10	98125
DET400	X8 Series 6W IP44 tri-colour dimmable LED downlight	97807
DET402	X8 Series 10W IP44 tri-colour dimmable LED downlight	97808
DET410RV	X8 Series 10W motion sensor LED downlight. Tri-colour & multi-power	247650
DET415RV	X8 Series 10W tri-colour 3-step dimmable LED downlight	247648
DET420	X8 Series 13W IP44 flush lens tri-colour LED downlight	97814
DET422	X8 Series 15W IP44 flush lens tri-colour LED downlight	97815
DET424	X8 Series 20W IP44 flush lens tri-colour LED downlight	97816
DET450	9W IP44 tri-colour dimmable recessed LED downlight. Die-cast enclosure	294303

LIGHTING

DOWNLIGHT ACCESSORIES.

- Downlight fascia frames
- Conversion plates
- LED transformers

LIGHTING

FLOODLIGHTS AND HIGH BAY.

INCLUDES BOTH FLOODLIGHT AND SECURITY LIGHTS

- Ideal for security lighting or general illumination
- High efficiency integrated LED and driver
- Longer life and saves more energy



DET007

DET009

DET011

DET013

DET016





DET008



DET010



DET012



DET015



DET020

DOWNLIGHT ACCESSORIES 70mm white cut out **DET006** 4380414 downlight conversion plate 70mm white cut out **DET007** 4380415 downlight conversion plate 92mm white cut out **DET008** 4380416 downlight conversion plate 92mm white cut out **DET009** 4380417 downlight conversion plate X8 Series Ø90mm white square **DET010** 4371484 twist-on frames - 2 Pack X8 Series Ø110mm white square **DET011** 4371484 twist-on frames - 2 Pack X8 Series Ø90mm matt black **DET012** 4331239 square twist-on frames - 2 Pack X8 Series Ø110mm matt black **DET013** 4331240 square twist-on frames - 2 Pack X8 Series Ø90mm brushed nickel **DET015** 4331763 square twist-on frames - 2 Pack X8 Series Ø110mm brushed nickel **DET016** square twist-on frames - 2 Pack 12V 15W dimmable electronic **DET020** 95171 transformer - for LED globes





FLOODLIGHTS		
DET810	12W DIY LED floodlight	AUS 0122158
DET820	24W DIY LED floodlight	AUS 0122159
DET830	36W DIY LED floodlight	AUS 0122160
DET875	80W DIY LED floodlight	AUS 0147661
DFL432	24W LED twin head security floodlight	AUS 4371532
DML431	12W LED single head security floodlight with sensor	AUS 4371533
DML432	24W LED twin head security floodlight with sensor	AUS 4371534
DML432B	24W LED twin head security floodlight with sensor - black	AUS 0057623



DET010HB	100w 15000lm LED high bay	AUS 0346479
DET015HB	150w 22500lm LED high bay	AUS 0346480
DET020HB	200w 30000lm LED high bay	AUS 0346481
DET012SNS	Microwave sensor remote for DETA LED high bay light	AUS 0346482

Australian and New Zealand Standards Approved

52



MOVEMENT

MOTION SENSORS.

- Combination of indoor and outdoor sensor range
- Combination of PIR and microwave sensor range



AIR MOVEMENT

VENTILATION.
COMBINATION OF AXIAL, CENTRIFUGAL AND INLINE EXHAUST FANS

• All models have flex and plug fitted











DET101

DET102



DET122

DET105 DET150

MOTION SENSORS		
DET100	Compact outdoor PIR movement sensor - white	AUS NZ 4371509
DET101	Compact outdoor PIR movement sensor - black	AUS NZ 4371508
DET102	360° ceiling mount PIR movement sensor	AUS 4371512
DET105	Infrascan outdoor PIR movement sensor	AUS 0121382
DET122	Indoor PIR movement sensor	AUS 0129572
DET150	360° ceiling mount microwave movement sensor	AUS 4371511









DE425





DEX250

DE250

DEX200



EXHAUST FANS

DE125	250mm high capacity ceiling exhuast fan	AUS 4441224
DE225	250mm side ducted ceiling exhuast fan	AUS 4441225 NZ 0241047
DE425	250mm side ducted ceiling exhuast fan with light	AUS 0229725
DE250	250mm DC ceiling exhuast fan	AUS 4420558
DEX200	200mm ball bearing ceiling exhuast fan	AUS 4442003
DEX250	250mm ball bearing ceiling exhuast fan	AUS 4442004
DIEF150	150mm ducted inline fan kit	AUS 0246590



CONDUIT DUCTING AND ACCESSORIES

RIGID NON METALIC CONDUIT.

- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- Bell end on one side to fit conduit fittings or another piece of conduit
- High quality UV stabilised PVC material
- Heavy Duty (Orange) Conduits are suitable for underground use


2600B 2600B-2M 2601B 2601B-2M 2602B 2602B-2M 2610B 2610B-2M 2611B 2611B-2M 2612B 2612B-2M 2620B-10 2620B-20

CONDUIT		
2600B	20mm rigid conduit medium duty 4m grey	4330846
2600B-2M	20mm rigid conduit medium duty 2m grey	4331311
2601B	25mm rigid conduit medium duty 4m grey	4330848
2601B-2M	25mm rigid conduit medium duty 2m grey	4331312
2602B	32mm rigid conduit medium duty 4m grey	4330849
2602B-2M	32mm rigid conduit heavy duty 2m grey	4331313
2610B	20mm rigid conduit heavy duty 4m orange	4330850
2610B-2M	20mm rigid conduit heavy duty 2m orange	4331315
2611B	25mm rigid conduit heavy duty 4m orange	4330851
2611B-2M	25mm rigid conduit heavy duty 2m orange	4331316
2612B	32mm rigid conduit heavy duty 4m orange	4330852
2612B-2M	32mm rigid conduit heavy duty 2m orange	4331317
2620B-10	20mm corrugated conduit medium duty 10m grey	4330837
2620B-20	20mm corrugated conduit medium duty 20m grey	4330838

CONDUIT DUCTING AND ACCESSORIES

RIGID NON METALIC CONDUIT.

- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- High quality UV stabilised PVC material
- Heavy Duty (Orange) Conduits are suitable for underground use
- Trunking systems are ideal alternative for surface wiring in domestic and commercial environments



CONDUIT AND TRUNKING		
2621B-10	25mm corrugated conduit medium duty 10m grey	4330840
2621B-20	25mm corrugated conduit medium duty 20m grey	4330841
2622B-10	32mm corrugated conduit medium duty 10m grey	4330842
2630B-10	20mm corrugated conduit high duty 10m orange	4330843
2631B-10	25mm corrugated conduit high duty 10m orange	4330844
2637B	20mm communication rigid conduit 4.5m white	4330845
2650B	25 x 25mm trunking 4m white	4330854
2651B	25 x 16mm trunking 4m white	4330856
2651B-2M	25 x 16mm trunking 2m white	4331318
2652B	16 x 16mm trunking 4m white	4330857
2652B-2M	16 x 16mm trunking 2m white	4331319
2653B	16 x 10mm trunking 4m white	4330858
2653B-2M	16 x 10mm trunking 2m white	4331320
2656B	25 x 50mm trunking 4m white	4330853

6

CONDUIT DUCTING AND ACCESSORIES

RIGID NON METALIC CONDUIT

- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- Bell end on one side to fit conduit fittings or another piece of conduit
- High quality UV stabilised PVC material
- Heavy Duty (Orange) Conduits are suitable for underground use





2670B



2675B

2680BT2

2681BT

2672B





2676B



2680B



2681B



2682B



2685BT

2686B

2685B

CONDUIT FIXING ACCESSORIES

CONDON NAME ACCESSION NEED		
2670B	20mm saddle PVC - 2 pack	4330825
2671B	25mm saddle PVC - 2 pack	4330826
2672B	32mm saddle PVC - 2 pack	4330827
2675B	20mm clip saddle PVC - 2 pack	4330822
2676B	25mm clip saddle PVC - 2 pack	4330823
2677B	32mm clip saddle PVC - 2 pack	4330824
2680B	20mm full saddle zinc plated metal	4330828
2680BT2	20mm full saddle zinc plated metal - 100 pack	4331183
2681B	25mm full saddle zinc plated metal	4330829
2681BT	25mm full saddle zinc plated metal - 50 pack	4331184
2682B	32mm full saddle zinc plated metal	4330830
2685B	20mm half saddle zinc plated metal	4330861
2685BT	20mm half saddle zinc plated metal - 100 pack	4331179
2686B	25mm half saddle zinc plated metal	4330862

CONDUIT DUCTING AND ACCESSORIES

RIGID NON METALIC CONDUIT AND DUCTING

- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- High quality UV stabilised PVC material
- Heavy Duty (Orange) Conduits are suitable for underground use
- Trunking systems are ideal alternative for surface wiring in domestic and commercial environments



CONDUIT FIXING ACCESSORIES		
25mm half saddle zinc plated metal - 50 pack	4331180	
32mm half saddle zinc plated metal	4330864	
20mm conduit plug plain PVC - 2 pack	4330832	
25mm conduit plug plain PVC - 2 pack	4330833	
20mm conduit coupling PVC grey	4330872	
20mm conduit coupling PVC grey - 40 pack	4331181	
25mm conduit coupling PVC grey	4330873	
32mm conduit coupling PVC grey	4330874	
20 - 16mm reducer plain PVC - 2 pack	4330834	
25 - 20mm reducer plain PVC - 2 pack	4330835	
32 - 25mm reducer plain PVC - 2 pack	4330836	
20mm adaptor with lock ring PVC plain grey	4330865	
25mm adaptor with lock ring PVC plain grey	4330866	
32mm adaptor with lock ring PVC plain grey	4330867	
	25mm half saddle zinc plated metal - 50 pack 32mm half saddle zinc plated metal 20mm conduit plug plain PVC - 2 pack 25mm conduit plug plain PVC grey 20mm conduit coupling PVC grey 20mm conduit coupling PVC grey - 40 pack 25mm conduit coupling PVC grey 32mm conduit coupling PVC grey 20 - 16mm reducer plain PVC - 2 pack 25 - 20mm reducer plain PVC - 2 pack 32 - 25mm reducer plain PVC - 2 pack 32 - 25mm reducer plain PVC - 2 pack 32 - 25mm reducer plain PVC - 2 pack 32 - 25mm reducer plain PVC - 2 pack 25mm adaptor with lock ring PVC plain grey 25mm adaptor with lock ring PVC plain grey	



CONDUIT DUCTING AND ACCESSORIES

FITTINGS.

- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- High quality UV stabilised PVC material

CONDUIT DUCTING AND ACCESSORIES

FITTINGS AND JUNCTION BOXES.

- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- High quality UV stabilised PVC material

2740B	2741B
0)	
2742B	2754B
2755B	2756B
2757B	2760B
2761B	2762B
	DEXA Size late. See
2770B	2770BT
	*
2771B	2780B

CONDUIT FIXING ACCESSORIES		
2740B	20mm gland corrugated conduit PVC	4330875
2741B	25mm gland corrugated conduit PVC	4330876
2742B	32mm gland corrugated conduit PVC	4330877
2754B	20mm 90° comm bend PVC white	4330878
2755B	20mm 90° 100 radius sweep bend heavy duty orange	4330794
2756B	25mm 90° 135 radius sweep bend heavy duty orange	4330795
2757B	32mm 90° 180 radius sweep bend heavy duty orange	4330796
2760B	20mm 90° 65 radius conduit standard bend grey	4330879
2761B	25mm 90° 80 radius conduit standard bend grey	4330880
2762B	32mm 90° 110 radius conduit standard bend grey	4330791
2770B	20mm 45 radius elbow solid PVC grey	4330792
2770BT	20mm 45 radius elbow solid PVC grey - 20 pack	4331182
2771B	25mm 55 radius elbow solid PVC grey	4330793
2780B	20mm inspection elbow PVC grey	4330797

2781B	2782B
5	T.
*	2
2790B	2791B
•	®
2792B	2800B
®	(P)
2801B	2805B
	0
2806B	2810B
•	•
2811B	2815B
2816B	2820B

INSPECTION ELBOWS AND JUNCTION BOXES		
2781B	25mm inspection elbow PVC grey	4330798
2782B	32mm inspection elbow PVC grey	4330799
2790B	20mm inspection tee PVC grey	4330800
2791B	25mm inspection tee PVC grey	4330801
2792B	32mm inspection tee PVC grey	4330802
2800B	20mm 1 way left hand round shallow junction box PVC	4330803
2801B	25mm 1 way left hand round shallow junction box PVC	4330804
2805B	20mm 2 way through round shallow junction box PVC	4330806
2806B	25mm 2 way through round shallow junction box PVC	4330807
2810B	20mm 2 way right angle round shallow junction box PVC	4330808
2811B	25mm 2 way right angle round shallow junction box PVC	4330809
2815BV	20mm 2 way U type round shallow junction box PVC	4330810
2816B	25mm 2 way U type round shallow junction box PVC	4330811
2820B	20mm 3 way T type round shallow junction box PVC	4330812


Australian and New Zealand Standards Approved Must be installed by a Licensed Electrical Contract

CONDUIT DUCTING AND ACCESSORIES

JUNCTION BOXES.


- Manufactured in accordance with relevant sections of AS/NZS 2053 Standards
- High quality UV stabilised PVC material

CONDUIT DUCTING AND ACCESSORIES



DCT520L-316

JUNCTION BOXES		
2821B	25mm 3 way T type round shallow junction box PVC	4330814
2840B	108 x 108 x 76mm adaptable box PVC	4330859
2841B	211 x 108 x 81mm adaptable box PVC	4330860
CONDUIT ACCESSORIES		
DETCL1	Cable lubricant 1L	TBD
DET250	Conduit cutter	TBD
STAINLESS STEEL CABLE TIES		
DCT150S-316	4.6mm x 150mm 316 stainless steel cable tie - 10 pcs	TBD
DCT250S-316	4.6mm x 250mm 316 stainless steel cable tie - 10 pcs	TBD
DCT250L-316	7.9mm x 250mm 316 stainless steel cable tie - 10 pcs	TBD
DCT370S-316	4.6mm x 370mm 316 stainless steel cable tie - 10 pcs	TBD
DCT450S-316	4.6mm x 450mm 316 stainless steel cable tie - 10 pcs	TBD
DCT370L-316	7.9mm x 370mm 316 stainless steel cable tie - 10 pcs	TBD
DCT520L-316	7.9mm x 520mm 316 stainless steel cable tie - 10 pcs	TBD



CABLE MANAGEMENT ACCESSORIES		
26200B	3m black corrugated split tubing 7mm	TBD
26201B	3m black corrugated split tubing 10mm	TBD
26202B	3m black corrugated split tubing 13mm	TBD
26203B	3m black corrugated split tubing 16mm	TBD
26500B	2m adhesive cable management cover half-round 16mm x 8mm	TBD
26501B	2m adhesive cable management cover half-round 30mm x 15mm	TBD
26600B	2m adhesive cable management cover quadrant 22mm x 22mm	TBD
26500K	Cable cover accessory kit for 26500B - 13 pcs	TBD
26501K	Cable cover accessory kit for 26501B - 10 pcs	TBD
26600K	Cable cover accessory kit for 26600B - 9 pcs	TBD
27400B	16mm black nylon cable gland	TBD
27401B	20mm black nylon cable gland	TBD
27402B	25mm black nylon cable gland	TBD

Australian and New Zealand Standards Approved
Must be installed by a Licensed Electrical Control

- Market leading innovative products
- Manufactured using the highest quality materials
- Fully compliant with Australian & New Zealand Safety Standards







X6 SERIES

X7 SERIES

6000SERIES

3000SERIES

X8 SERIES

Facsimile

1300 360 650

Telephone 1800 826 859

New Zealand Toll Free 0800 003 329

Email

custservice@detaelectrical.com.au

Website

detaelectrical.com.au

Catalogue scan QR code for digital version





